


THE DECLINATION OF THE COMPASS NEEDLE, 1948



The declination of the compass needle at any place along a dashed line is the declination given on that dashed line. At other places the declination is between those given on the neighboring dashed lines, thus at the place marked A, the declination is between 10° W. and 11° W. The century declinations of the compass needle are decreasing 6 minutes annually.

REFERENCE

| | | |
|------------------------------------|-------|-------|
| Railway, Double Track | | |
| Single Track | | |
| Boundary, District or County | | |
| Township | | |
| Forest Reserve or Park | | |
| Indian Reserve | | |
| Road, Hard Surface, Heavy Duty | | |
| Hard Surface, Heavy Duty | | |
| Hard Surface, Medium Duty | | |
| Loose Surface, Gravel and Driveway | | |
| Other Roads | | |
| Trail | | |

TIMMINS
ONTARIO


Scale 1:126,720 or 2 Miles to 1 Inch

Miles 0 1 2 3 4 5 6 7 8 9 10

Copies may be obtained from the Map Distribution Office,
Department of Mines and Technical Surveys, Ottawa.

REFERENCE

| | | |
|-----------------------|-------|-------|
| Electric Power Line | | |
| Railway or Ferry | | |
| Swamp or Marsh | | |
| Bridge | | |
| Dam | | |
| Building | | |
| Post Office | | |
| Mine or Open Cut | | |
| Spot Height (in feet) | | |
| Bench Mark | | |
| Wooded Area | | |



NOTE: On the above index the shaded portions are shown in red.

SHEET 42 A SW

REPRINT
Apr 14.70

42 A/SW