

This document was produced
by scanning the original publication.

43 L


1:250,000

CANADA

EDITION 1

43 L

Refer to
this map as:
43 L
EDITION 1 ASE
SERIES A 501



Direction of B.D.Y.
W.R.O.N.A. 18/01/87
Rm

1 4 Blue


x

TOPOGRAPHICAL SURVEY DESCRIPTION
15 Dec 1980
C.C. 1000000000
C.O. 1000000000

GRID ZONE DESIGNATION	100,000 M. SQUARE IDENTIFICATION				
16 U	<table><tr><td>43</td><td>16</td></tr><tr><td>U</td><td>60</td></tr></table>	43	16	U	60
43	16				
U	60				
TO GIVE A REFERENCE TO NEAREST 1000 METRES					
EXAMPLE: STREAM JUNCTION					
SQUARE: Read letters of 100,000 m. square DR					
EASTING: Read number on grid line immediately to left of point. Estimate tenths of a square from this line eastward to point.					
NORTHING: Read number on grid line immediately below point. Estimate tenths of a square from this line northward to point.					
MILITARY GRID REFERENCE (to nearest 1,000 metres)	DR9634				
If reporting beyond 18° in any direction, prefix Grid Zone Designation as: 16UDR9634					

TEN THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR GRID
ZONE 16

RELIABILITY DIAGRAM - CROQUIS D'EXACTITUDE



A: Stereo compiled, from aerial photographs taken in 1954.

A: Réglage par stéréorestitution d'après des photographies aériennes prises en 1954.

Compiled, 1964, by the SURVEYS AND MAPPING BRANCH,
DEPARTMENT OF MINES AND TECHNICAL SURVEYS.
Field surveys 1959-62. Printed 1966.

Magnetic declination 1965 varies from 0°36' westerly at
centre of west edge to 0°15' westerly at centre of east
edge. Mean annual change 4.0' easterly.

Road, dry weather.....Route, temps sec.
Wagon or winter road. Chemin de terre ou d'hiver.
Trail or portage.....Sentier ou portage.

CLENDENNING RIVER

KENORA DISTRICT
ONTARIO

Scale 1:250,000 Échelle


Miles 0 5 10 15 20 25 30
Kilometres 0 5 10 15 20 25 30

Transverse Mercator Projection
North American Datum 1927
Contour interval 100 feet
Elevations in feet above Mean Sea Level
Copies may be obtained from the Map Distribution Office,
Department of Mines and Technical Surveys, Ottawa.

Projection Transverse de Mercator
Niveau de référence nord-américain 1927
Équidistance des courbes 100 pieds
Élévations en pieds au-dessus du niveau moyen de la mer
Ces cartes sont en vente au Bureau de distribution des cartes,
ministère des Mines et des Relevés techniques, Ottawa.

Rédigé en 1964, par la DIRECTION DES LEVÉS ET DE LA CARTOGRAPHIE,
MINISTÈRE DES MINES ET DES RELEVÉS TECHNIQUES. Levés sur le terrain
en 1959-62. Imprimé en 1966.

La déclinaison magnétique pour 1965 varie de 0°36' Ouest
au centre de la limite Ouest à 0°15' Ouest au centre de la
limite Est. Variation moyenne annuelle 4.0' Est.



Index to adjoining sheets of National
Topographic System
Tableau d'assemblage du Système
National de Référence Cartographique

CLENDENNING RIVER
43 L
EDITION 1

43-L
Rprints