

This document was produced
numerically by the
Department of Mines
and Technical Surveys
by scanning the original publication.

53 A


1:250,000

CANADA

EDITION 1

53 A

Refer to
this map as:
53 A
EDITION 1 ASE
SERIES A 501




GRID ZONE
DESIGNATION
16U

TO GIVE A REFERENCE TO NEAREST 1000 METRES
EXAMPLE: STREAM JUNCTION
SQUARE: Read letters of 100,000 m. square CP
EASTING: Read number on grid line
immediately to left of point
Estimate tenths of a square from
this line eastward to point.
NORTHING: Read number on grid line
immediately below point
Estimate tenths of a square from
this line northward to point.
MILITARY GRID REFERENCE
(to nearest 1,000 metres)
CP7124
If reporting beyond 15° in any direction
prefix Grid Zone Designation as 16UCP7124

TEN THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR GRID
ZONE 16

RELIABILITY DIAGRAM - CROQUIS D'EXACTITUDE



A - Stereo-compiled from 1954 aerial photographs.

A - Etablie par stereorestitution d'après des photos aériennes prises en 1954.

Compiled, 1962, by the SURVEYS AND MAPPING BRANCH,
DEPARTMENT OF MINES AND TECHNICAL SURVEYS. Field
surveys 1959 and 1960. Printed 1964.
Magnetic declination 1965 varies from 0° 9' westerly at
centre of west edge to 3° 2' westerly at centre of east
edge. Mean annual change: 3.0' westerly.

Some names on this map are not yet official.
Corrections or additions are invited by the
Surveys and Mapping Branch.

Road, dry weather.....Route, temps sec.....
Wagon or winter road. Chemin de terre ou d'hiver.....
Trail or portage.....Sentier ou portage.....
Town.....Ville.....
Village or Settlement. Village ou hameau.....
Post Office.....Bureau de poste.....
Horizontal control point. Point géodésique.....
Boundary monument. Borne frontière.....

Scale 1:250,000 Échelle

Transverse Mercator Projection
North American Datum 1927
Contour interval 100 feet
Elevations in feet above Mean Sea Level

Projection Transverse de Mercator
Niveau de référence nord-américain, 1927
Équidistance des courbes 100 pieds
Élévations en pieds au-dessus du niveau moyen de la mer

Copies may be obtained from the Map Distribution Office,
Department of Mines and Technical Surveys, Ottawa.


Ces cartes sont en vente au Bureau de distribution des cartes,
ministère des Mines et des Relevés techniques, Ottawa.

WUNNUMMIN LAKE
KENORA DISTRICT
ONTARIO

Certaines noms inscrits sur cette carte ne sont
pas encore officiels. La Direction des levés et
de la cartographie s'efforce de publier de lui
signaler corrections et additions.

Rédigée en 1962 par la DIRECTION DES LEVÉS ET DE LA
CARTOGRAPHIE, MINISTÈRE DES MINES ET DES RELEVÉS
TECHNIQUES. Travaux exécutés sur le terrain en 1959
et 1960. Imprimée en 1964.
La déclinaison magnétique pour 1965 varie de 0° 9' Ouest au
centre de la limite Ouest à 3° 2' Ouest au centre de la limite
Est. Variation moyenne annuelle: 3.0' Est.

Stream
intermittent or dry.....Intermittent ou à sec.....
Indefinite.....Impécis.....
Rapid; falls.....Rapides; chute.....
Marsh or swamp.....Marais ou marécage.....
Intermittent lake.....Lac intermittent.....
Depression contours.....Courbes de cuvette.....
Spot Elevation, in feet. Repère de nivellement en pieds.....2550.



WUNNUMMIN LAKE
53 A
EDITION 1