

This document was produced
by scanning the original publication.

NATIONAL TOPOGRAPHIC SYSTEM

1:250,000


CANADA

EDITION 3 (1967)

85 E



THE DECLINATION OF THE COMPASS NEEDLE, 1960.



The declination of the compass needle at any place along a red line is the declination given on that red line. At other places the declination is between those given on the neighbouring red lines; thus at the place marked A, the declination is between 33°30' E. and 34°00' E. The declination of the compass needle is decreasing 5.3 minutes annually.

Produced by the ARMY SURVEY ESTABLISHMENT, R.C.E. 1956-61
Aerial photography 1948.


Interim corrections 1967.

- Roads:
loose surface, all weather 2 lanes
dry weather
cart track or winter road
trail or portage
- Boundaries:
provincial, with monument
district
township
park, reserve, etc.
- Power line; Telephone line
Horizontal control point, with elevation 582
Astronomical measurement
Spot elevation; precise, approximate 452 - 797.2
Sand or gravel pit

MILLS LAKE

DISTRICT OF MACKENZIE
NORTHWEST TERRITORIES

Scale 1 : 250,000




Road, loose or stabilized surface, all weather. 2 lanes or more

Copies may be obtained from the
Map Distribution Office,
Dept. of Mines and Technical Surveys,
Ottawa.

Contour Interval 100 Feet
Elevations in Feet above Mean Sea Level
Transverse: Mercator Projection
North American Datum 1927
Preliminary 1952

- House; Building
Post Office; School; Church
Radio Station
R.C.M.P. Detachment; Tower
Cliff or low relief
Esker; Pingo
Swamp or marsh
Intermittent lake, stream
Headwater lake, stream
Rapids, large, small; Bridge
Icefield or Glacier
Dry river bed
Contours
Depression
Wooded area



MILLS LAKE
85 E
EDITION 3 (1967)

Refer to
this map as:

111V
EDITION 3-MCE
SERIES A 502

Refer to
this map as:

85 E
EDITION 3 MCE
SERIES A 502 (1967)

GRID ZONE DESIGNATION	100,000 M. SQUARE IDENTIFICATION												
11V	<table border="1"><tr><td>L</td><td>M</td><td>U</td><td>M</td></tr><tr><td>L</td><td>T</td><td>M</td><td>T</td></tr><tr><td>40</td><td></td><td></td><td>680</td></tr></table>	L	M	U	M	L	T	M	T	40			680
L	M	U	M										
L	T	M	T										
40			680										

TO GIVE A REFERENCE TO NEAREST 1000 METRES

EXAMPLE: CABIN

SQUARE: Read letters of 100,000 m square L T

EASTING: Read number on grid line immediately to left of point
Estimate tenths of a square from this line eastward to point.

NORTHING: Read number on grid line immediately below point
Estimate tenths of a square from this line northward to point.

MILITARY GRID REFERENCE (to nearest 1,000 metres) LT 5099

If reporting beyond 10° in any direction, prefix Grid Zone Designation as 11VLT 5099

TEN THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR
GRID ZONE 11