

Ce document est le produit d'une
numérisation par balayage
de la publication originale.

This document was produced
by scanning the original publication.

Note: Next Publication Tie this Edge to Newer 1989 metric Publication (95-P)

NATIONAL TOPOGRAPHIC SYSTEM

1:250,000


CANADA

SECOND EDITION


SHEET 95-1

Refer to this
Map as:-

95-1
EDITION 2 ASE
SERIES A502



THE DECLINATION OF THE COMPASS NEEDLE, 1957



The declination of the compass needle at any place along
a broken line is the declination given on that broken line.
At other places the declination is between those given on
the neighbouring broken lines; that at the place marked
A, the declination is between 35°00'E and 35°30'E. The
declination of the compass needle is decreasing 6 minutes
annually.


Produced and printed by the SURVEYS AND MAPPING
BRANCH, DEPARTMENT OF MINES AND TECHNICAL
SURVEYS, 1958, from air photographs taken in 1948 and
1949.

REFERENCE

- Wagon or winter road.....
- Trail or portage.....
- Surveyed line.....
- Village or settlement.....
- Post office.....
- Building or cabin.....
- R.C.M.P. post.....
- Horizontal control point.....
- Astronomical position.....
- Spot elevation (in feet).....

Universal Transverse Mercator Projection

BULMER LAKE
NORTHWEST TERRITORIES
DISTRICT OF MACKENZIE
Scale 1:250,000
1 Inch to 4 Miles Approximately




Contour interval 100 feet
Elevations in Feet above Mean Sea Level
North American Datum 1927 (1953)

Copies may be obtained from the Map Distribution
Office, Department of Mines and Technical Surveys,
Ottawa.

REFERENCE

- Stream intermittent or dry.....
- Rapid, falls.....
- Marsh or swamp.....
- Sand, gravel or mud.....
- Contours:
elevation.....
depression.....
approximate.....
- Esker.....
- Wooded areas.....



TEN THOUSAND METRE
UNIVERSAL TRANSVERSE MERCATOR GRID
ZONE 10

BULMER LAKE
95-1
EDITION 2 ASE