

EAGLE SURVEYS LTD. VERTICAL REPORT

LINE: 2

CLIENT FEDERAL GOVERNMENT	PROSPECT MACKENZIE DELTA	PROGRAM NO. .	PROCESSED BY EAGLE SURVEYS
SURVEY CO. EAGLE SURVEYS	GEOPHYSICAL CO. ENERTEC GEOPHYSICAL	PARTY NO. COVERAGE	TYPE VIBROSEIS
DATE PROCESSED 04-09-1986	DATE OF SURVEY MAR /86	FIRST SP 101	LAST SP 329
		GRID	SURVEYOR C CRUMP
			LENGTH KMS 22.78

Curvature and refraction corrections applied to elevations.
Duplicate shots averaged.

SIGHT	ZENITH ANGLE	SLOPE DIST	ROD READING	STATION	DIFF.	H.I.	ELEV.	HORIZ. ANGLE	DOUBLE	EDM FACTORS
BNST	90.0140	1,200.19	2.00	VP 101	-2.48	15.02	12.54			
	269.5820	1,200.19	2.00	VP 101	-2.48	15.02	12.54			
COM: T/O EL FROM FLY 0										
	90.0100	1,100.00	2.00	ST 102	-2.24	15.02	12.79			
	90.0000	1,000.00	2.00	VP 103	-1.93	15.02	13.09			
	89.5900	900.00	2.00	ST 104	-1.68	15.02	13.34			
	89.5700	800.00	2.00	VP 105	-1.72	15.02	13.30			
	89.5300	700.00	2.00	ST 106	-1.56	15.02	13.46			
	89.5800	600.00	2.00	VP 107	-1.63	15.02	13.40			
	89.5500	500.00	2.00	ST 108	-1.69	15.02	13.33			
	90.0400	400.00	2.00	VP 109	-2.45	15.02	12.57			
	90.0500	300.00	2.00	ST 110	-2.43	15.02	12.59			
	90.0700	200.00	2.00	VP 111	-2.52	15.02	12.50			
	89.4800	100.00	2.00	ST 112	-1.65	15.02	13.37			
INST	90.0000	0.00	1.80	VP 113	-1.60	15.02	13.42			
	90.1100	100.00	2.00	ST 114	-2.32	15.02	12.71			
	90.0900	200.00	2.00	VP 115	-2.52	15.02	12.50			
	90.2000	300.00	2.00	ST 116	-3.74	15.02	11.29			
	90.1600	400.00	2.00	VP 117	-3.85	15.02	11.17			
	90.0100	500.00	2.00	ST 118	-2.13	15.02	12.90			
	89.5800	600.00	2.00	VP 119	-1.63	15.02	13.40			
	89.5600	700.00	2.00	ST 120	-1.15	15.02	13.87			
TURN	89.5630	800.45	2.00	VP 121	-1.14	15.02	13.88			
	270.0330	800.45	2.00	VP 121	-1.14	15.02	13.88			
BNST	90.0530	799.52	2.00	VP 121	-3.24	17.14	13.88			
	269.5420	799.52	2.00	VP 121	-3.27	17.14	13.88			
	90.1400	700.00	2.00	ST 122	-4.82	17.14	12.32			
	90.2100	663.42	3.50	122+37	-7.52	17.14	9.62			CREEK
	90.1600	600.00	2.00	VP 123	-4.77	17.14	12.37			
	90.0800	500.00	2.00	ST 124	-3.15	17.14	13.99			
	90.1400	400.00	2.00	VP 125	-3.62	17.14	13.52			
	90.1700	300.00	2.00	ST 126	-3.48	17.14	13.66			
	90.2600	200.00	2.00	VP 127	-3.51	17.14	13.63			
	91.0000	100.00	2.00	ST 128	-1.74	17.14	13.39			
INST	90.0000	0.00	1.80	VP 129	-1.60	17.14	15.54			
	89.7800	100.00	2.00	ST 130	-1.36	17.14	15.76			
	90.5700	200.00	2.00	VP 131	-1.50	17.14	15.55			

LINE: 2
PAGE: 2

SIGHT	ZENITH ANGLE	SLOPE DIST	ROD READING	STATION	DIFF.	H.I.	ELEV.	HORIZ. ANGLE	DOUBLE	EDM / METERS
	89.5300	300.00	2.00	ST 132	-1.38	17.14	15.76			
	89.5100	400.00	2.00	VP 133	-0.94	17.14	16.20			
	89.5100	500.00	2.00	ST 134	-0.67	17.14	16.46			
	89.4700	600.00	2.00	VP 135	0.29	17.14	17.43			
	89.4600	700.00	2.00	ST 136	0.89	17.14	18.02			
	89.4800	800.00	2.00	VP 137	0.84	17.14	17.97			
TURN	89.5100	900.76	2.00	ST 138	0.41	17.14	17.57			
	270.0910	900.76	2.00	ST 138	0.46	17.14	17.57			
EXST	90.1240	1,199.75	2.00	ST 138	-6.32	23.90	17.57	179.3620	359.1220	
	269.4720	1,199.75	2.00	ST 138	-6.32	23.90	17.57			
	90.1230	1,100.00	2.00	VP 139	-5.92	23.90	17.98			
	90.1400	1,000.00	2.00	ST 140	-6.00	23.90	17.89			
	90.1500	900.00	2.00	VP 141	-5.87	23.90	18.02			
	90.1800	800.00	2.00	ST 142	-6.15	23.90	17.75			
	90.2000	700.00	2.00	VP 143	-6.04	23.90	17.86			
	90.2300	600.00	2.00	ST 144	-5.99	23.90	17.91			
	90.2400	500.00	2.00	VP 145	-5.47	23.90	18.42			
	90.2000	400.00	2.00	ST 146	-4.32	23.90	19.58			
	90.1200	300.00	2.00	VP 147	-3.04	23.90	20.86			
	90.1000	200.00	2.00	ST 148	-2.58	23.90	21.32			
	89.5100	100.00	2.00	VP 149	-1.74	23.90	22.16			
INST	90.0000	0.00	1.60	ST 150	-1.60	23.90	22.30	179.2410	358.4830	
	89.4630	100.00	2.00	VP 151	-1.61	23.90	22.29			
	89.5000	200.00	2.00	ST 152	-1.42	23.90	22.48			
	89.5400	300.00	2.00	VP 153	-1.47	23.90	22.43			
	89.5000	400.00	2.00	ST 154	-0.83	23.90	23.07			
TURN	89.4840	500.04	2.00	VP 155	-0.33	23.90	23.57			
	270.1130	500.04	2.00	VP 155	-0.31	23.90	23.57			
EXST	89.5050	799.75	2.00	VP 155	0.18	23.38	23.57	180.2920	0.5900	
	270.0920	799.75	2.00	VP 155	0.21	23.38	23.57			
	89.4900	700.00	2.00	ST 156	0.27	23.38	23.65			
	89.4800	600.00	2.00	VP 157	0.12	23.38	23.50			
	89.4600	500.00	2.00	ST 158	0.05	23.38	23.43			
	89.4400	400.00	2.00	VP 159	-0.13	23.38	23.25			
	89.4100	300.00	2.00	ST 160	-0.34	23.38	23.04			
	89.4000	200.00	2.00	VP 161	-0.83	23.38	22.54			
	89.2300	100.00	2.00	ST 162	-0.92	23.38	22.46			
INST	90.0000	0.00	1.60	VP 163	-1.60	23.38	21.78			
	90.0000	100.00	2.00	ST 164	-2.00	23.38	21.38			
	90.1800	200.00	2.00	VP 165	-3.04	23.38	20.33			
	90.1000	300.00	2.00	ST 166	-2.87	23.38	20.51			
	90.1500	400.00	2.00	VP 167	-3.73	23.38	19.64			
	90.1300	500.00	2.00	ST 168	-3.87	23.38	19.50			
	90.1900	600.00	2.00	VP 169	-3.72	23.38	19.66			
	90.0900	700.00	2.00	ST 170	-3.80	23.38	19.58			
TURN	90.0830	800.49	2.00	VP 171	-3.94	23.38	19.44			
	269.5130	800.49	2.00	VP 171	-3.94	23.38	19.44			
EXST	89.4800	1,500.34	2.00	VP 171	3.39	16.05	19.44	130.0200	0.0460	
	270.1200	1,500.34	2.00	VP 171	3.39	16.05	19.44			

LINE: 2
PAGE: 3

SIGHT	ZENITH ANGLE	SLOPE DIST	ROD READING	STATION	DIFF.	H.I.	ELEV.	HORIZ. ANGLE	DOUBLE	EDM / METERS
	89.4900	1,400.00	2.00	ST 172	2.61	16.05	18.67			
	89.4620	1,300.00	2.00	VP 173	3.28	16.05	19.34			
	89.4640	1,200.00	2.00	ST 174	2.75	16.05	18.80			
	89.4740	1,100.00	2.00	VP 175	2.03	16.05	18.08			
	89.4900	1,000.00	2.00	ST 176	1.27	16.05	17.32			
	89.5000	900.00	2.00	VP 177	0.67	16.05	16.73			
	89.5100	800.00	2.00	ST 178	0.14	16.05	16.19			
	89.5300	700.00	2.00	VP 179	-0.54	16.05	15.51			
	89.5300	600.00	2.00	ST 180	-0.75	16.05	15.30			
	89.5300	500.00	2.00	VP 181	-0.96	16.05	15.09			
	89.5200	400.00	2.00	ST 182	-1.06	16.05	15.20			
	89.5300	300.00	2.00	VP 183	-1.38	16.05	14.67			
	89.4800	200.00	2.00	ST 184	-1.30	16.05	14.75			
	89.3400	100.00	2.00	VP 185	-1.24	16.05	14.11			
INST	90.0000	0.00	1.60	ST 186	-1.60	16.05	14.40	180.0000	6.4000	
	90.3400	100.00	2.00	VP 187	-2.99	16.05	13.07			
	91.0500	200.00	2.00	ST 188	-5.78	16.05	10.27			
	91.0300	300.00	2.00	VP 189	-7.49	16.05	8.56			
	91.0320	304.75	2.00	IN 189+4	-7.61	16.05	8.44			
	268.5600	304.75	2.00	IN 189+4	-7.62	16.05	8.44			
CON: INT LINE 1 ELEV: 9.										
	90.5000	400.00	2.00	ST 190	-7.81	16.05	8.25			
	90.4400	500.00	2.00	VP 191	-8.38	16.05	7.57			
	90.4100	600.00	2.00	ST 192	-9.15	16.05	6.92			
	90.3400	700.00	2.00	VP 193	-9.89	16.05	7.16			
	90.3600	800.00	2.00	ST 194	-10.33	16.05	5.72			
	90.3200	900.00	2.00	VP 195	-10.32	16.05	5.73			
	90.2600	1,000.00	2.00	ST 196	-9.50	16.05	6.56			
	90.2400	1,068.00	4.00	176+68	-11.38	16.05	4.67			
TURN	90.2300	1,098.96	2.00	VP 197	-9.27	16.05	6.81			OPEN
	269.3710	1,078.96	2.00	VP 197	-9.22	16.05	6.81			
EXIST	90.4200	1,059.92	2.00	VP 197	-15.36	22.17	6.81			
	269.1800	1,077.92	2.00	VP 197	-15.36	22.17	6.81			
	90.4500	1,000.00	2.00	ST 198	-15.02	22.17	7.14			
	90.5100	900.00	2.00	VP 199	-15.30	22.17	6.87			
	90.5600	800.00	2.00	ST 200	-14.99	22.17	7.19			
	91.0100	700.00	2.00	VP 201	-14.37	22.17	7.78			
	91.0200	600.00	2.00	ST 202	-12.80	22.17	9.37			
	90.5700	500.00	2.00	VP 203	-10.27	22.17	11.89			
	90.5600	400.00	2.00	ST 204	-8.50	22.17	13.66			
	91.0000	300.00	2.00	VP 205	-7.23	22.17	14.94			
	90.5600	200.00	2.00	ST 206	-5.26	22.17	16.91			
	90.4200	100.00	2.00	VP 207	-3.22	22.17	19.94			
INST	90.0000	0.00	1.60	ST 208	-1.60	22.17	20.57			
	89.1200	100.00	2.00	VP 209	-0.60	22.17	21.55			
	89.0200	200.00	2.00	ST 210	1.36	22.17	23.54			
	89.5900	300.00	2.00	VP 211	3.33	22.17	25.49			
	89.0300	400.00	2.00	ST 212	4.90	22.17	27.16			
	88.5600	500.00	2.00	VP 213	7.32	22.17	29.49			

LINE: 2
PAGE: 4

SIGHT	ZENITH ANGLE	SLOPE DIST	ROD READING	STATION	DIFF.	H.I.	ELEV.	HORIZ. ANGLE	DOUBLE	EDM / METERS
	88.5600	600.00	2.00	ST 214	9.19	22.17	31.36			
	88.5200	700.00	2.00	VP 215	11.88	22.17	34.04			
	88.4800	800.00	2.00	ST 216	14.80	22.17	36.96			
TURN	88.4300	900.24	2.00	VP 217	18.22	22.17	40.38			
	271.1700	900.24	2.00	VP 217	18.22	22.17	40.38			
BKST	91.2240	600.05	2.00	VP 217	-16.40	56.79	40.38			
	268.3720	600.05	2.00	VP 217	-16.40	56.79	40.38			
	91.3700	500.00	2.00	ST 218	-16.09	56.79	40.70			
	91.3700	400.00	2.00	VP 219	-13.27	56.79	43.51			
	91.3600	300.00	2.00	ST 220	-10.37	56.79	46.42			
	91.2100	200.00	2.00	VP 221	-6.71	56.79	50.08			
	91.5000	100.00	2.00	ST 222	-5.20	56.79	51.59			
INST	90.0000	0.00	1.60	VP 223	-1.60	56.79	55.19			
	88.5700	100.00	2.00	ST 224	-0.17	56.79	56.62			
	88.5200	200.00	2.00	VP 225	1.96	56.79	58.74			
	88.4600	300.00	2.00	ST 226	4.46	56.79	61.25			
	88.2300	400.00	2.00	VP 227	9.30	56.79	66.08			
	88.1300	500.00	2.00	ST 228	13.58	56.79	70.36			
TURN	88.1240	599.82	2.00	VP 229	16.75	56.79	73.53			
	271.4720	599.82	2.00	VP 229	16.75	56.79	73.53			
BKST	91.4340	499.58	2.00	VP 229	-17.05	90.59	73.53			
	268.1620	499.58	2.00	VP 229	-17.05	90.59	73.53			
	91.5600	400.00	2.00	ST 230	-15.48	90.59	75.11			
	91.5900	300.00	2.00	VP 231	-12.38	90.59	78.21			
	91.4300	200.00	2.00	ST 232	-7.99	90.59	82.60			
	92.2400	100.00	2.00	VP 233	-6.19	90.59	84.40			
INST	90.0000	0.00	1.60	ST 234	-1.60	90.59	88.99			
	88.0400	100.00	2.00	VP 235	1.37	90.59	91.96			
	88.0600	200.00	2.00	ST 236	4.63	90.59	95.22			
	87.4400	242.00	2.00	236+42	7.58	90.59	98.16			HILL BTH
	87.4800	300.00	2.00	VP 237	9.52	90.59	100.11			
	87.2100	400.00	2.00	ST 238	16.50	90.59	107.09			
	86.2500	500.00	2.00	VP 239	29.27	90.59	119.06			
TURN	85.2430	598.38	2.00	ST 240	45.93	90.59	136.52			
	274.3530	598.38	2.00	ST 240	45.93	90.59	136.52			
BKST	93.3110	399.80	2.00	ST 240	-26.53	163.04	136.52			
	266.2900	399.80	2.00	ST 240	-26.51	163.04	136.52			
	93.1700	300.00	2.00	VP 241	-19.18	163.04	143.86			
	93.5700	200.00	2.00	ST 242	-15.77	163.04	147.26			
	93.2900	100.00	2.00	VP 243	-8.08	163.04	154.36			
INST	90.0000	0.00	1.60	ST 244	-1.60	163.04	161.44			
	88.5500	100.00	2.00	VP 245	-0.11	163.04	162.93			
	89.0900	200.00	2.00	ST 246	0.97	163.04	164.01			
	88.5700	300.00	2.00	VP 247	3.50	163.04	166.54			
	88.5600	400.00	2.00	ST 248	5.46	163.04	168.50			
	88.4600	500.00	2.00	VP 249	8.78	163.04	171.82			
TURN	88.3020	599.23	2.00	ST 250	13.65	163.04	176.69			
	271.2940	599.23	2.00	ST 250	13.65	163.04	176.69			
BKST	90.2640	552.44	2.00	ST 250	-6.26	182.94	176.69	190.0030	0.0110	

LINE: 2

PAGE: 5

SIGHT	ZENITH ANGLE	SLOPE DIST	ROD READINGS	STATION	DIFF.	H.I.	ELEV.	HORIZ. ANGLE	DOUBLE	EDM / METERS
	269.3330	552.44	2.00	ST 250	-6.24	182.94	175.69			
	90.2500	452.00	2.00	VP 251	-5.27	182.94	177.67			
	90.3200	352.00	2.00	ST 252	-5.27	182.94	177.67			
	90.2400	252.00	2.00	VP 253	-3.75	182.94	179.19			
	90.0600	152.00	2.00	ST 254	-2.26	182.94	180.68			
	90.1300	52.00	2.00	VP 255	-2.20	182.94	180.75			
INST	90.0000	0.00	1.60	255+52	-1.60	182.94	181.34	180.0150	0.0350	
	90.2600	48.00	2.00	ST 256	-2.36	182.94	180.58			
	90.4800	148.00	2.00	VP 257	-4.06	182.94	178.89			
	90.3000	248.00	2.00	ST 258	-4.16	182.94	178.79			
	90.2900	348.00	2.00	VP 259	-4.93	182.94	178.01			
TURN	90.3030	447.91	2.00	ST 260	-5.96	182.94	176.98			
	269.2930	447.91	2.00	ST 260	-5.96	182.94	176.98			
BKST	89.5510	1,199.70	2.00	ST 260	-0.22	177.17	176.90			
	270.0500	1,199.70	2.00	ST 260	-0.16	177.17	176.90			
	90.0320	1,100.00	2.00	VP 261	-2.98	177.17	174.18			
	90.1700	1,000.00	2.00	ST 262	-6.98	177.17	170.29			
	90.2100	900.00	2.00	VP 263	-7.44	177.17	169.73			
	90.1600	800.00	2.00	ST 264	-5.68	177.17	171.49			
	90.2200	700.00	2.00	VP 265	-6.45	177.17	170.72			
	90.3800	600.00	2.00	ST 266	-8.61	177.17	168.56			
	90.3100	500.00	4.00	VP 267	-8.49	177.17	168.68			
	90.2800	400.00	2.00	ST 268	-5.25	177.17	171.92			
	90.2400	300.00	2.00	VP 269	-4.09	177.17	173.08			
	90.4100	200.00	2.00	ST 270	-4.38	177.17	172.79			
	90.3100	100.00	2.00	VP 271	-2.90	177.17	174.27			
INST	90.0000	0.00	1.60	ST 272	-1.60	177.17	175.57			
	92.1800	100.00	2.00	VP 273	-6.01	177.17	171.16			
	92.0800	200.00	2.00	ST 274	-9.44	177.17	167.73			
	91.3600	300.00	2.00	VP 275	-10.37	177.17	166.80			
	91.2700	400.00	2.00	ST 276	-12.11	177.17	165.06			
	91.2100	500.00	2.00	VP 277	-13.76	177.17	163.41			
	91.1800	600.00	2.00	ST 278	-15.59	177.17	161.58			
	91.1600	700.00	2.00	VP 279	-17.44	177.17	159.73			
	91.0700	800.00	2.00	ST 280	-17.55	177.17	159.62			
	90.5900	900.00	2.00	VP 281	-17.39	177.17	159.78			
	90.3600	1,000.00	2.00	ST 282	-12.40	177.17	164.76			
TURN	90.3730	1,060.04	2.00	282+60	-13.49	177.17	163.66			
	269.2220	1,060.04	2.00	282+60	-13.54	177.17	163.66			
BKST	87.4030	1,137.84	2.00	282+60	44.25	119.44	163.66	179.5330	359.4710	
	272.1920	1,137.84	2.00	282+60	44.19	119.44	163.66			
	87.4300	1,099.06	2.00	VP 283	41.87	119.44	161.31			
	88.0800	1,000.00	2.00	ST 284	30.64	119.44	150.08			
	88.1300	900.00	2.00	VP 285	26.06	119.44	145.50			
	88.1700	800.00	2.00	ST 286	22.01	119.44	141.45			
	88.1800	700.00	2.00	VP 287	18.30	119.44	138.24			
	88.2100	600.00	2.00	ST 288	15.30	119.44	134.74			
	88.4400	500.00	2.00	VP 289	9.07	119.44	128.51			
	89.0200	400.00	2.00	ST 290	4.76	119.44	124.20			

LINE: 2

PAGE: 6

SIGHT	ZENITH ANGLE	SLOPE DIST	ROD READING	STATION	DIFF.	H.I.	ELEV.	HORIZ. ANGLE	DOUBLE	EDM / METERS
	89.2300	360.00	2.00	VP 291	1.23	119.44	120.67			
	89.3700	200.00	2.00	ST 292	-0.66	119.44	119.78			
	89.3000	100.00	2.00	VP 293	-1.13	119.44	118.31			
INST	90.0000	0.00	1.60	ST 294	-1.60	119.44	117.84			
	89.5000	100.00	2.00	VP 295	-1.71	119.44	117.73			
	89.4300	200.00	2.00	ST 296	-1.01	119.44	118.43			
	89.4900	300.00	2.00	VP 297	-1.03	119.44	118.40			
	89.4600	400.00	2.00	ST 298	-0.59	119.44	118.84			
	89.1900	500.00	2.00	VP 299	3.98	119.44	123.42			
	89.1700	600.00	2.00	ST 300	5.53	119.44	124.97			
	89.1500	700.00	2.00	VP 301	7.20	119.44	126.63			
	89.0600	800.00	2.00	ST 302	10.61	119.44	130.05			
	89.0600	900.00	2.00	VP 303	13.76	119.44	133.20			
TURN	59.0100	961.07	2.00	303+61	14.56	119.44	133.99			
	270.5900	961.07	2.00	303+61	14.56	119.44	133.99			
BKST	88.2800	593.36	2.00	303+61	13.90	120.02	133.99	179.4300	359.2620	
	271.3210	593.36	2.00	303+61	13.93	120.03	133.99			
	88.2600	555.00	2.00	ST 304	13.19	120.08	132.27			
	89.2800	455.00	2.00	VP 305	10.19	120.08	130.27			
	88.2500	355.00	2.00	ST 306	7.62	120.08	127.89			
	88.1200	255.00	2.00	VP 307	6.01	120.08	126.09			
	88.1300	155.00	2.00	ST 308	2.83	120.08	122.90			
	87.4500	55.00	2.00	VP 309	0.16	120.08	120.24			
INST	90.0000	0.00	1.60	309+55	-1.60	120.08	118.48			
	94.1800	45.00	2.00	ST 310	-5.37	120.08	114.70			
	94.0700	145.00	2.00	VP 311	-12.41	120.08	107.67			
	94.1600	245.00	2.00	ST 312	-20.22	120.08	99.95			
	93.3300	345.00	2.00	VP 313	-23.35	120.08	96.72			
	92.4800	445.00	2.00	ST 314	-23.72	120.03	96.35			
	92.1600	545.00	2.00	VP 315	-23.53	120.08	96.54			
	91.2900	644.00	2.00	ST 316	-18.64	120.08	101.43			
	90.5700	744.00	2.00	VP 317	-14.30	120.08	105.78			
TURN	90.5100	843.62	2.00	ST 318	-14.47	120.08	105.61			
	269.0900	843.62	2.00	ST 318	-14.47	120.08	105.61			
BKST	87.4240	700.07	2.00	ST 318	25.99	79.60	105.61	179.4320	359.2620	
	272.1730	700.07	2.00	ST 318	26.03	79.60	105.61			
	87.3700	600.00	2.00	VP 319	22.98	79.60	102.58			
	87.4900	500.00	2.00	ST 320	17.07	79.60	96.67			
	88.2300	400.00	2.00	VP 321	9.30	79.60	88.90			
	88.1600	300.00	2.00	ST 322	7.08	79.60	86.68			
	88.1100	200.00	2.00	VP 323	4.34	79.60	83.94			
	88.2400	100.00	2.00	ST 324	0.79	79.60	80.39			
INST	90.0000	0.00	1.60	VP 325	-1.60	79.60	78.00			
	91.1800	100.00	2.00	ST 326	-4.27	79.60	75.33			
	90.4500	200.00	2.00	VP 327	-4.62	79.60	74.59			
	90.0800	300.00	2.00	ST 328	-2.69	79.60	76.91			
TURN	89.3000	399.49	2.00	VP 329	1.50	79.60	81.10			EOL
	270.3000	399.49	2.00	VP 329	1.50	79.60	81.10			